

## General Information

<b>Extended Product Type:</b>	CC-E/I
<b>Product ID:</b>	1SVR011708R0400
<b>EAN:</b>	4013614352195
<b>Catalog Description:</b>	CC-E/I Current converter, univers. 0-5A, 0-20A/AC/DC / V/I, 110-240VAC
<b>Long Description:</b>	The CC-E/I is an universal current measuring converter from the CC-E range. This converter, with 3-way electrical isolation, for sinusoidal and DC currents, operates with a rated control supply voltage of 110-240 V AC. Selection of one of 2 input current signal ranges (0-5 A, 0-20 A, AC / DC) is made by the corresponding terminal connection. 3 output signal ranges (0-10 V, 0-20 mA, 4-20 mA) can be configured by means of directly accessible lateral DIP switches. The adjustment of the gain and the offset is made via potentiometers on the front of the unit. Applied supply voltage is displayed by a green LED.

## Additional Information

<b>Country of Origin:</b>	Germany (DE)
<b>Customs Tariff Number:</b>	85369095
<b>Data Sheet, Technical Information:</b>	2CDC110004C0209
<b>Declaration of Conformity - CE:</b>	1SVD981003-0000
<b>EAN:</b>	4013614352195
<b>EPLAN Catalog Tree:</b>	Electrical engineering / Converters / General
<b>ETIM 4:</b>	EC002653 - Isolation amplifier
<b>ETIM 5:</b>	EC002653 - Isolation amplifier
<b>ETIM 6:</b>	EC002653 - Isolation amplifier
<b>Environmental Information:</b>	1SAA981006-2402
<b>Function:</b>	Current Measuring Multifunction
<b>IIT Publishing Status:</b>	Level 0 - Information enabled
<b>Industrial IT Certification Level:</b>	0
<b>Input Signal:</b>	0 ... 5 A / 0 ... 20 A / AC / DC
<b>Instructions and Manuals:</b>	1SVC497530M5000
<b>Instructions and Manuals (Part 2):</b>	1SVC011700M9000
<b>Invoice Description:</b>	CC-E/I Current converter, univers. 0-5A, 0-20A/AC/DC / V/I, 110-240VAC
<b>Minimum Order Quantity:</b>	1 piece
<b>Object Classification Code:</b>	T
<b>Output Signal:</b>	0 ... 10 V / 0 ... 20 mA / 4 ... 20 mA
<b>Package Level 1 EAN:</b>	4013614352195
<b>Package Level 1 Gross Weight:</b>	0.119 kg
<b>Package Level 1 Height:</b>	109 mm
<b>Package Level 1 Length:</b>	27 mm
<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	81 mm
<b>Power Loss:</b>	Approximately 2 W
<b>Product Main Type:</b>	CC-E
<b>Product Name:</b>	Analog Signal Converter
<b>Product Net Depth:</b>	107 mm
<b>Product Net Height:</b>	75 mm
<b>Product Net Weight:</b>	0.099 kg
<b>Product Net Width:</b>	22.5 mm

Product Reference:	22.0 1111
Rated Control Supply Voltage (U <sub>s</sub> ):	110 ... 240 V AC
Regulatory Compliance Mark (RCM):	Yes
RoHS Date:	1146
RoHS Information:	1SVD981001-4400
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Short Description:	CC-E/I Current converter, univers.
Standards:	EN 50178 IEC/EN 61000-6-2 IEC/EN 61000-6-4 UL 508 CAN/CSA C22.2 No. 14
Sub-Function:	Multifunction
UL Certificate:	UL508_E174460
UNSPSC:	39120000
cUL Certificate:	cUL508_E174460
eClass:	7.0 27210120

