

Products Low Voltage Products and Systems Control Products Electronic Relays and Controls
Interface Relays and Optocouplers

General Information

Extended Product Type:	CR-PLS
Product ID:	1SVR405650R0000
EAN:	4013614528569
Catalog Description:	CR-PLS Logical socket for 1c/o or 2c/o CR-P relays
Long Description:	The CR-PLS socket is from the CR-P (pcb) relay range. The logical socket with safety isolation is suitable for CR-P relays with 1 or 2 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

Additional Information

CSA Certificate:	CSA_262671-2785566
Country of Origin:	China (CN)
Customs Tariff Number:	85366990
Data Sheet, Technical Information:	2CDC117004D0203
Declaration of Conformity - CE:	1SVD982020-0000
E-number:	4005315
EAC Certificate:	EAC_RU_C-PL.ME77.B.01873
EAN:	4013614528569
EPLAN Catalog Tree:	Electrical engineering / Relays, contactors / General
ETIM 4:	EC001456 - Relay socket
ETIM 5:	EC001456 - Relay socket
ETIM 6:	EC001456 - Relay socket
Environmental Information:	1SAA981009-2401
Function:	Accessory for interface relays CR-P
IIT Publishing Status:	Level 0 - Information enabled
Industrial IT Certification Level:	0
Instructions and Manuals:	1SVC405650M9000
Invoice Description:	CR-PLS Logical socket for 1c/o or 2c/o CR-P relays
Minimum Order Quantity:	10 piece
Object Classification Code:	K
Output:	none
Output Signal:	none
Package Level 1 EAN:	4013614373077
Package Level 1 Gross Weight:	0.452 kg
Package Level 1 Height:	64 mm
Package Level 1 Length:	80 mm
Package Level 1 Units:	10 piece
Package Level 1 Width:	159 mm
Power Loss:	-
Product Main Type:	CR-P
Product Name:	Socket
Product Net Depth:	75 mm
Product Net Height:	61 mm
Product Net Weight:	0.045 kg
Product Net Width:	15.5 mm

Regulatory Compliance Mark (RCM):	No
RoHS Date:	1146
RoHS Information:	1SVD981001-4400
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Short Description:	CR-PLS Logical socket
Standards:	IEC/EN 61984 UL 508 CAN/CSA C22.2 No. 14
Sub-Function:	Socket for pcb relays
Sub-Function 2:	Logical socket for pcb relay 1 c/o or 2 c/o with protective separation
Suitable For:	CR-P
Terminal Type:	Screw Terminals
UNSPSC:	39120000
cURus Certificate:	cURus508_E244328
eClass:	7.0 27371603

